L Number	Hits	Search Text	DB	Time stamp
1	596	(381/94.1-94.8).CCLS.	USPAT	2004/01/15 15:16
3	2684	(379/3,416-417,387.01-398).CCLS.	USPAT	2004/01/15 15:17
2	261	((375/232).CCLS.) and quadrature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 15:18
–	3200	((379/3,416-417,387.01-398).CCLS.) ((381/94.1-94.8).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 17:02
–	137	(((379/3,416-417,387.01-398).CCLS.) ((381/94.1-94.8).CCLS.)) and (noise and (cancel$5 or suppres$4)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 17:22
–	46	(((379/3,416-417,387.01-398).CCLS.) ((381/94.1-94.8).CCLS.)) and quadrature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 17:17
–	238	((((379/3,416-417,387.01-398).CCLS.) ((381/94.1-94.8).CCLS.)) and (echo adj cancel$5).ab.) ((((379/3,416-417,387.01-398).CCLS.) ((381/94.1-94.8).CCLS.)) and (noise and (cancel$5 or suppres$4)).ab.) "adaptive line enhancer"	USPAT; US-PGPUB; EPO; JP®; DERWENT; IBM_TDB	2003/08/07 17:17
–	753	(375/232).CCLS.	USPAT	2003/08/07 17:21
–	72	((375/232).CCLS.) and noise.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 17:23
–	202	(((375/232).CCLS.) and quadrature) not (((375/232).CCLS.) and noise.ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 17:23
–	26	(((375/232).CCLS.) and quadrature) and (((375/232).CCLS.) and noise.ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 17:24
–	8	(US-4539689-$ or US-4630305-$ or US-5398286-$ or US-4791390-$ or US-5192918-$ or US-5710996-$ or US-RE35867-$ or US-5896452-$).did.	USPAT	2003/08/07 17:35
–	2	((US-4539689-$ or US-4630305-$ or US-5398286-$ or US-4791390-$ or US-5192918-$ or US-5710996-$ or US-RE35867-$ or US-5896452-$).did.) and quadrature	USPAT	2003/08/07 17:44
–	0	((US-4539689-$ or US-4630305-$ or US-5398286-$ or US-4791390-$ or US-5192918-$ or US-5710996-$ or US-RE35867-$ or US-5896452-$).did.) and orthogonal	USPAT	2003/08/07 17:43
–	1720	(quadrature) and noise.ab. and (receiv$3 terminal).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 17:48
–	1574	((quadrature) and noise.ab. and (receiv$3 terminal).ab.) and signal.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 17:48

-	583	(((quadrature) and noise.ab. and (receiv$3 terminal).ab.) and signal.ab.) and (iterative adapt$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 17:49
-	246	(((quadrature) and noise.ab. and (receiv$3 terminal).ab.) and signal.ab.) and noise.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 17:49
-	5	(((quadrature adj amplitude adj modulation) or qam) and (receiver terminal) and demodulate).ab.	USPAT	2003/08/08 08:55
-	62	"adaptive line enhancer"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:19
-	0	("wire$line receiv%3 system").ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:19
-	0	("wireline receiv$3 system").ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:19
-	0	("wire$line receiv$3 system").ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:20
-	0	("receiv$3 system").ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:20
-	0	("receiv$3 system").ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:20
-	0	"receiv$3 system".ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:21
-	1986893	receiv$3.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:21
-	506568	receiv$3.ab. and system.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:21
-	36	(((quadrature) and noise.ab. and (receiv$3 terminal).ab.) and signal.ab.) and interference.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:31
-	102	(((379/3,416-417,387.01-398).CCLS.) ((381/94.1-94.8).CCLS.)) and (echo adj cancel$5).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:29

-	10	((((quadrature) and noise.ab. and (receiv$3 terminal).ab.) and signal.ab.) and interference.ti.) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:31
-	7	("4025721" | "4135590" | "4185168" | "4227046" | "4468804" | "4490841" | "4493101").PN.	USPAT	2003/08/08 09:54
-	2	"60154781"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 14:04
-	0	(smith and harry and b.).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 14:05
-	1079	(smith and harry).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 14:06
-	1	((smith and harry).in.) and baltimore.inci.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 14:06
-	2	D266726	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 11:11
-	2615	(echo$canceller echo$canceler "echo canceler" "echo canceller").ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:08
-	11	((echo$canceller echo$canceler "echo canceler" "echo canceller").ab.) and "carrier wave"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:10
-	0	((echo$canceller echo$canceler "echo canceler" "echo canceller").ab.) and "zero signal condition"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:11
-	93	"zero signal condition"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:11
-	22	"zero signal condition" and carrier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:12
-	0	"zero signal condition" and "cycle match"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:12
-	45	carrier and "cycle match"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:13

-	145	((echo$canceller echo$canceler "echo canceler" "echo canceller").ab.) and carrier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 12:34

broadband
Technique for transmitting large amounts of data,
voice and video over long distances. Using high
frequency transmission over coaxial cable or
optical fibers, broadband transmission requires
modems for connecting terminals and computers to
the network. Using the same FDM (frequency
division multiplexing) technique as cable TV,
several streams of data can be transmitted
simultaneously. Contrast with baseband.

wideband

wideband: 1. The property of any communications facility, equipment, channel, or system in which the range of frequencies used for transmission is greater than 0.1 % of the midband frequency. (188) *Note: "Wideband"* has many meanings depending upon application. *"Wideband"* is often used to distinguish it from *"narrowband,"* where both terms are subjectively defined relative to the implied context. **2.** In communications security systems, a bandwidth exceeding that of a nominal 4-kHz telephone channel. (188) [From Weik '89] **3.** The property of a circuit that has a bandwidth wider than normal for the type of circuit, frequency of operation, or type of modulation. **4.** In telephony, the property of a circuit that has a bandwidth greater than 4 kHz. (188) **5.** Pertaining to a signal that occupies a broad frequency spectrum. *Synonym* **broadband.** [From Weik '89]